

sarom ™
combinations unexpected



NEXON

sarom™
combinations unexpected



NEXON - 510



NEXON - 513



NEXON - 511



NEXON - 514



NEXON - 512



NEXON - 516



NEXON - 517



NEXON - 518



NEXON - 507



NEXON - 515



NEXON - 504



NEXON - 501



NEXON - 505



NEXON - 502



NEXON - 506



NEXON - 503





NEXON - 509



NEXON - 508



NEXON

Design	Width (in cm)	Weight (Gsm)	Composition	End Use
NEXON	144	510 ± 5%	PU 2%, PVC 83%, Fabric 15%	 

1.

We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation.
2.

Test results were gathered from various samples and therefore represent average indicative values.
3.

Discolouration caused by clothing fabrics such as jeans does not represent a material defect. Minor colour deviations and discolouring in context of permissible industrial tolerance standards do not constitute reasons for claims .

PU/PVC FABRIC CARE INSTRUCTIONS :

1.

Vacuum and dust regularly.
2.

Do not place heater close to PU/PVC fabric (No closer than 50 cm).
3.

Protect from direct sunlight.
4.

Wipe over contact areas regularly with clean soft cloth.
5.

Avoid hard rubbing and scrubbing.
6.

Treat all liquid and food spills immediately.
7.

Clean contact areas of perspiration and body oils regularly.
8.

Keep pets and sharp object away from PU/PVC fabric Fur is particularly cause permanent discoloration
Claws Belt Buckles, Heels, Key, Knives or pull causing permanent PU/PVC fabric damage.

Colors may vary from batch to batch

Washing Instructions
Not Washable

Product Color May Slightly Vary From Original Due To Photographic Lighting Sources Or Your Screen Settings.

