

SHARK

0


sarom

SHARK







SHARK - 903




SHARK - 902



SHARK - 904











SHARK - 907

SHARK - 908








SHARK - 909










SHARK - 911




SHARK - 912

SHARK - 910




SHARK - 906




SHARK - 905



SHARK - 917



SHARK - 913



SHARK - 914





SHARK - 915

SHARK - 916



SHARK - 904



Design	Width (in cm)	Weight (Gsm)	Composition	Abrasion Resistance	Color Fastness to light	Piling Resistance	End Use
SHARK	140	320 ± 5%	100% Polyester	> = 20,000	4	4	

- 1. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation.
- 2. Test results were gathered from various samples and therefore represent average indicative values.
- 3. Discolouration caused by clothing fabrics such as jeans does not represent a material defect. Minor colour deviations and discolouring in context of permissible industrial tolerance standards do not constitute reasons for claims.

Washing Instructions

sarom 📗

Color may vary from batch to batch

SHARK

Product Color May Slightly Vary From Original Due To Photographic Lighting Sources Or Your Screen Settings.

Satometrie of the sector of th

www.sarom.co.in |www.sarom.info

f@/saromfab





www.sarom.co.in